



**ASSOCIAÇÃO DE CAÇA E PESCA ALTO PETRÓPOLIS – SOCAPESCA
VIAMÃO – RIO GRANDE DO SUL**

**I ETAPA DO XXXIII CAMPEONATO BRASILEIRO E OPEN
INTERNACIONAL DE IPSC HANDGUN E PISTOL CALIBER CARBINE
VIAMÃO**

12 a 15 de março de 2020.

COMPOSIÇÃO DA PROVA


IPSC HANDGUN		SHOTS
A R E A 1	STAGE/PISTA 01	9
	STAGE/PISTA 02	32
	STAGE/PISTA 03	11
	STAGE/PISTA 04	24
	STAGE/PISTA 05	11
	STAGE/PISTA 06	24
	STAGE/PISTA 07	12
A R E A 2	STAGE/PISTA 08	12
	STAGE/PISTA 09	24
	STAGE/PISTA 10	12
	STAGE/PISTA 11	24
	STAGE/PISTA 12	12
	STAGE/PISTA 13	32
	STAGE/PISTA 14	24
TOTAL		263

MAPA DA ÁREA DA PROVA

ÁREA 1 - PISTA 01 ATÉ 07

ÁREA 2 - PISTA 08 (esta na área 1) ATÉ 14





Pista 01 - CCP

Nº de Alvos: 09 IPSC Targets,

Nº Mínimo de Disparos: 09

Condição da arma: carregada na opção 1

Posição de inicial: sentado na cadeira segurando as cartas

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos, somente com 01 disparo por alvo.

Targets (type & number): 09 IPSC Targets


Minimum number of rounds: 09

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).on the table mark

Start position: sitting on the chair holding the cards as demonstrated

Time start: audible.

Procedure: At the start signal engage the targets only with 01 shot per target.



Pista 02 - CCP

Nº de Alvos: 15 IPSC Targets, 02 IPSC Popper

Nº Mínimo de Disparos: 32

Condição da arma: carregada na opção 1

Posição inicial: calcanhares tocando a start line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro, engajar os alvos. Popper (P1) ativa alvo móvel (T1) e Popper (P2) ativa alvo móvel (T2) que fica visível em repouso.

Targets (type & number): 15 IPSC Targets, 02 IPSC Popper


Minimum number of rounds: 32

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Heels touching start line as demonstrated

Time start: audible.

Procedure: On the Start Signal, engage targets. Popper (P1) activates moving target (T1) and Popper (P2) activates moving target (T2) that is visible at rest.



Pista 03 - CCP

Nº de Alvos: 05 IPSC Targets, 01 IPSC Popper

Nº Mínimo de Disparos: 11 **Condição da arma:** carregada na opção 1

Posição inicial: calcanhares tocando a start line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro, engajar os alvos. Popper (P1) ativa alvo móvel (T1) que fica visível em repouso

Targets (type & number): 05 IPSC Targets, 01 IPSC Popper


Minimum number of rounds: 11

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Heels touching start line as demonstrated

Time start: audible.

Procedure: On the Start Signal, engage targets. Popper (P1) activates moving target (T1) that is visible at rest



Pista 04 - CCP

Nº de Alvos: 10 IPSC Targets, 04 IPSC Metal Plates

Nº Mínimo de Disparos: 24

Condição da arma: carregada na opção 1

Posição inicial: calcanhares tocando a Start line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Alavanca aciona alvo móvel duplo que permanece visível em repouso

Targets (type & number): 10 IPSC Targets, 04 IPSC Metal Plates

Minimum number of rounds: 24


The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Standing, heels touching starting line as demonstrated

Time start: audible.

Procedure: On the Start Signal, engage targets

Lever (L1) activates double moving target (T1) that remains visible at rest.



Pista 05 - CCP

Nº de alvos: 04 IPSC Targets 02 IPSC Metal Plates 01 IPSC Popper

Nº Mínimo de Disparos: 11

Condição da arma: carregada na opção 1

Posição Inicial: calcanhares tocando a start line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 04 IPSC Targets 02 IPSC Metal Plates 01 IPSC Popper


Minimum number of rounds: 11

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Heels touching start line as demonstrated

Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 06 - CCP

Nº de Alvos: 11 IPSC Targets, 02 IPSC Popper

Nº Mínimo de Disparos: 24

Condição da arma: carregada na opção 1

Posição inicial: dentro da área "A"

Início do tempo: sinal sonoro

Procedimento: Ao sinal sonoro engajar os alvos

Targets (type & number): 11 IPSC Targets, 02 IPSC Popper


Minimum number of rounds: 24

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Within the area "A" as demonstrated

Time start: audible

Procedure: On the Start Signal, engage targets.



Pista 07- CCP

Nº de alvos: 04 IPSC Targets, 02 IPSC Popper, 02 IPSC Metal Plates

Nº Mínimo de Disparos: 12

Condição da arma: carregada na opção 1

Posição inicial: calcanhares tocando a Start.line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Alavanca libera alvos móveis 1 e 2 que ficam visíveis em repouso

Targets (type & number): 04 IPSC Targets, 02 IPSC Popper, 02 IPSC Metal Plate

Minimum number of rounds: 12


The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Heels touching start line. as demonstrated

Time start: Audible.

Procedure: On start signal, engage targets.

Lever (L1) releases moving target 1 (T1) and target 2 (T2) that are visible at rest



Pista 08 - CCP

Nº de alvos: 05 IPSC Targets, 02 IPSC Metal Plates

Nº Mínimo de Disparos: 12

Condição da arma: carregada na opção 1

Posição inicial: sentado no barco segurando os remos

Condição da arma: carregador inserido e câmara vazia na marca

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos sem descer do barco

Targets (type & number): 05 IPSC Targets, 02 IPSC Metal Plate


Minimum number of rounds: 12

Start position: sitting on the boat holding oars as demonstrated

The firearm ready condition: Loaded (Option 2): magazine filled and fitted (if applicable), chamber empty and the action closed on the mark.

Time start: Audible.

Procedure: On start signal, engage targets without getting off the boat



Pista 09 - CCP

Nº de alvos: 12 IPSC Targets

Nº Mínimo de Disparos: 24

Condição da arma: carregada na opção 1

Posição inicial: dentro da área "A"

Início do tempo: calcanhares tocando a start line

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 12 IPSC Targets


Minimum number of rounds: 24

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: heels touching start line as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 10 - CCP

Nº de alvos: 4 IPSC Targets, 4 IPSC Metal Plates

Nº Mínimo de Disparos: 12

Condição da arma: carregada na opção 1

Posição inicial: dentro da área "A"

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 4 IPSC Targets, 4 IPSC Metal Plates


Minimum number of rounds: 12

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Within area "A" as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 11- CCP

Nº de alvos: 09 IPSC Targets, 08 IPSC Metal Plates

Nº Mínimo de Disparos: 24

Condição da arma: carregada na opção 1

Posição inicial: pés tocando a linha de partida conforme demonstrado

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 09 IPSC Targets, 08 IPSC Metal Plates


Minimum number of rounds: 26

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: feet touching the start line as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 12- CCP

Nº de alvos: 03 IPSC Targets, 04 IPSC Metal Plates 02 IPSC Popper

Nº Mínimo de Disparos: 12

Condição da arma: carregada na opção 1

Posição inicial: dentro da área "A"

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 03 IPSC Targets, 04 IPSC Metal Plates 02 Popper


Minimum number of rounds: 12

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Within area "A" as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 13- CCP

Nº de alvos: 16 IPSC Targets,

Nº Mínimo de Disparos: 32

Condição da arma: carregada na opção 1

Posição inicial: dentro da area

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 16 IPSC Targets,


Minimum number of rounds: 32

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Within the area as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.



Pista 14- CCP

Nº de alvos: 11 IPSC Targets, 02 IPSC Popper

Nº Mínimo de Disparos: 24

Condição da arma: carregada na opção 1

Posição inicial: calcanhares tocando a start line

Início do tempo: Ao sinal sonoro.

Procedimento: Ao sinal sonoro engajar os alvos.

Targets (type & number): 11 IPSC Targets, 02 IPSC Popper

Minimum number of rounds: 24

The firearm ready condition: Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the firearm is designed to have one).

Start position: Heels touching start line as demonstrated

Time Start: audible.

Procedure: On the Start Signal, engage targets.