








STAGES – MINI-RIFLE





Targets	6 IPSC MINI TARGETS
Minimum number of rounds	12
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, Toes touching the Start line, inside the area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-










STAGES – MINI-RIFLE (PISTA 2)



Targets	2 IPSC TARGET and 5 IPSC MINI TARGETS
Minimum number of rounds	14
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, heels touching the Start Line at, area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-

Stage designer: D. Salvio Parmagnani – RM 303 NROI/BR.












STAGES - MINI-RIFLE

(Stage 3)







Targets	6 IPSC METAL PLATES, 1 IPSC MINI TARGET and 1 IPSC MINI POPPER
Minimum number of rounds	9
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, inside the area, Holding the MINI-RIFLE held with the STRONG hand as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	










STAGES – MINI-RIFLE



Targets	15 IPSC MINI TARGETS
Minimum number of rounds	30
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, heels touching the Start Line at, area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-










STAGES – MINI-RIFLE

(Stage 5)



Targets	2 IPSC TARGET and 2 IPSC MICRO TARGET
Minimum number of rounds	8
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the rifle is designed to have one).
Start Position	Standing, inside the area, Holding the MINI-RIFLE held with the WEAK hand as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	









STAGES – MINI-RIFLE


(Stage 6)



IMcT3







Targets	2 IPSC MINI TARGET AND 03 IPSC MICRO TARGET
Minimum number of rounds	10
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, heels touching the Start Line at left or right, area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-










STAGES – MINI-RIFLE

(Stage 7)



Targets	3 IPSC MICRO TARGETS and 4 IPSC METAL PLATE
Minimum number of rounds	10
The Mini-Rifle ready condition	Loaded (Option 2): magazine filled and fitted (if applicable), chamber empty and the action closed. – MINI-RIFLE in the holder as shown.
Start Position	Standing, HEELS touching the start line, as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	










STAGES – MINI-RIFLE

(Stage 8)



Targets	6 IPSC MINI TARGET
Minimum number of rounds	12
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, heels touching the Start Line at, area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, activate targets from within the designated area and through the Cooper Tunnel.
Observation	-










STAGES – MINI-RIFLE

(Stage 9)



Targets	4 IPSC MINI TARGET
Minimum number of rounds	8
The Mini-Rifle ready condition	Loaded (Option 2): magazine filled and fitted (if applicable), chamber empty and the action closed.
Start Position	Standing, inside the area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-









STAGES – MINI-RIFLE

(**Stage 10**)








IMT -2



IMT - 1



Targets	4 IPSC MINI TARGETS
Minimum number of rounds	8
The Mini-Rifle ready condition	Unloaded (Option 3): fixed magazine must be empty, detachable magazines removed and chamber must be empty. The action may be open or closed.
Start Position	Seating on the chair, hands over knees, heels touching the feet of the chair, as demonstrated. MINI-RIFLE on of the table at mark.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-










STAGES – MINI-RIFLE

(Stage 11)



Torques	8 IPSC MINI TARGETS
Targets	O IFSC WIINI TARGETS
Minimum number of rounds	16
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, heels touching the Start Line at, area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-

Stage designer: D. Salvio Parmagnani – RM 303 NROI/BR.










STAGES – MINI-RIFLE



Targets	10 IPSC MINI TARGETS and 6 PLATES
Minimum number of rounds	26
The Mini-Rifle ready condition	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer and/or sear cocked and safety catch applied (if the mini-rifle is designed to have one).
Start Position	Standing, inside the area as demonstrated.
Time Starts	Audible signal
Procedure	At the start signal, engage targets from within the designated area.
Observation	-